




wheel jets

professional technology without compromises
100 - 1000 bar



www.falch.com



application examples



only for hard jobs



wheel jet 2
500-100-e
5 kW, 200 bar, 10 l/min, 230 V

wheel jet 5
900-13-0-e
5 kW, 200 bar, 13 l/min, petrol
hand start

wheel jet 11
300-18-0-e
11 kW, 300 bar, 18 l/min, 400 V

wheel jet 11
300-16-0-p
11 kW, 300 bar, 18 l/min, petrol
e-start

wheel jet 15
500-15-0-e
15 kW, 500 bar, 15 l/min, 400 V

wheel jet 18
500-16-0-p
18 kW, 500 bar, 18 l/min, petrol
e-start

wheel jet 30
500-30-0-e
30 kW, 500 bar, 30 l/min, 400 V

wheel jet
1000-16-0-e
30 kW, 1000 bar, 16 l/min



fillers



easy access to all components



extremely robust hoses and guns




auto start with start/stop automatic



self start, self stop




pressure regulation



robust catch pump



easy to move, never flat wheels



crane hook



forklift

wheel jet 2/5/11

wheel jet 2 e	wheel jet 5 e	wheel jet 5 p	wheel jet 11 e	wheel jet 11 p
 30 - 100 bar	30 - 200 bar	30 - 200 bar	30 - 300 bar	30 - 300 bar
 5 - 10 l/min	5 - 13 l/min	5 - 13 l/min	8 - 18 l/min	8 - 18 l/min
 2.0 kW / 1.8 kW 2800 rpm, air	4.0 kW / 5.0 kW 2800 rpm, air	13 kW / 11 kW 1450 rpm, air	-	-
 230 V/50 Hz/1.6 A, 5.0 m	400 V/50 Hz/1.6 A, 5.0 m	400 V/50 Hz/3.2 A, 4.0 m	-	-
 1.0 m perist	7.5 kW / 7.1 kW, 3200 rpm, 3300 rpm, 2 x 200 V, 50 Hz, air	-	13 kW / 12 kW, 3150 rpm, 3400 rpm, 2 x 200 V, 50 Hz, air	-
 5.0 kW, 2800 rpm, 2.0 m, 230 V, 50 Hz, 1.6 A, 5.0 m	5.0 kW, 2800 rpm, 2.0 m, 230 V, 50 Hz, 1.6 A, 5.0 m	1.0 m perist	-	2.8 l/h perist
 5.0 kW, 2800 rpm, 2.0 m, 230 V, 50 Hz, 1.6 A, 5.0 m	5.0 kW, 2800 rpm, 2.0 m, 230 V, 50 Hz, 1.6 A, 5.0 m	5.0 kW, 1450 rpm, 2.0 m, 230 V, 50 Hz, 1.6 A, 5.0 m	13 kW, 1450 rpm, 2.0 m, 230 V, 50 Hz, 1.6 A, 5.0 m	13 kW, 1450 rpm, 2.0 m, 230 V, 50 Hz, 1.6 A, 5.0 m
 0.6 l/s gal/min	0.6 l/s gal/min	0.6 l/s gal/min	0.6 l/s gal/min	0.6 l/s gal/min
 -	-	-	-	-
 -	-	-	-	-
 24 l/hd	24 l/hd	24 l/hd	24 l/hd	24 l/hd
 24 months	24 months	24 months	24 months	24 months
 -	-	3.6 l	-	7.9 l
 55 kg	45 kg	105 kg	230 kg	191 kg
 1000 x 570 x 430 mm	1000 x 570 x 430 mm	1100 x 750 x 815 mm	1175 x 760 x 945 mm	1160 x 755 x 950 mm
 LpA = 73 dB	LpA = 74 dB	LpA = 84 dB	LpA = 77 dB	LpA = 84 dB
 LwA = 86 dB	LwA = 92 dB	LwA = 98 dB	LwA = 94 dB	LwA = 102 dB
 g349	g334	g333	g332	g331


perfect jobs by perfect accessories



wheel jet 15/18/30

wheel jet 15 e	wheel jet 18 p	wheel jet 30 e
 50 - 500 bar	50 - 500 bar	50 - 1000 bar
 8 - 15 l/min	8 - 18 l/min	7 - 16 l/min
 18 kW / 15 kW 1450 rpm, air	-	36 kW / 30 kW 1450 rpm, air
 400 V/50 Hz/3.2 A, 4.0 m	-	400 V/50 Hz/6.3 A, 5.0 m
 15 kW / 15 kW, 2750 rpm, 2100 rpm, 2 x 200 V, 50 Hz, air	15 kW / 15 kW, 2750 rpm, 2100 rpm, 2 x 200 V, 50 Hz, air	-
 4.5 l/h perist	4.5 l/h perist	-
 18 kW, 1080 rpm, 2.0 m, 230 V, 50 Hz, 1.6 A, 5.0 m	18 kW, 1080 rpm, 2.0 m, 230 V, 50 Hz, 1.6 A, 5.0 m	36 kW, 1061 rpm, 2.0 m, 230 V, 50 Hz, 1.6 A, 5.0 m
 0.6 l/s gal/min	0.6 l/s gal/min	0.6 l/s gal/min
 -	-	-
 -	-	-
 24 l/hd	24 l/hd	24 l/hd
 24 months	24 months	24 months
 -	-	-
 290 kg	225 kg	510 kg
 1175 x 760 x 945 mm	1450 x 790 x 1155 mm	1275 x 900 x 1070 mm
 LpA = 78 dB	LpA = 85 dB	LpA = 78 dB
 LwA = 95 dB	LwA = 103 dB	LwA = 96 dB
 g393	g345	g411

services



Falch gmbh
Hochdruckwasserstrahl
street of water jetting 1
89143 Blaubeuren-sachsen (germany)
☎ +49 7344 9244-0 ✉ info@falch.com
☎ +49 7344 9244-4090 🌐 www.falch.com