




pointspeed regulation 5 pointspeed regulation 30







... www.falch.com





speed regulation 5

pointspeed regulation



4000 rpm



pointspeed regulation 5



	15 kW, 4/2 	40 kW, 4/2 
	200 - 500 bar	200 - 500 bar
	15 - 40 l/min	15 - 40 l/min
	max 90° C	max 90° C
	self drive	self drive
	15 kW, 500 - 4000 rpm	40 kW, 500 - 4000 rpm
	030 usgal/min	055 usgal/min
	1/4" inner thread	1/4" inner thread
	1,1 kg	1,1 kg
	150 x 69 mm	150 x 69 mm
	z0000776	z0000546

pointspeed regulation 30



	40 kW, 4/2 	125 kW, 4/2 	125 kW, 6/2 
	500 - 3000 bar	500 - 3000 bar	500 - 3000 bar
	6 - 30 l/min	10 - 50 l/min	10 - 50 l/min
	max 70° C	max 70° C	max 70° C
	self drive	self drive	self drive
	40 kW, 500 - 4000 rpm	125 kW, 500 - 4000 rpm	125 kW, 500 - 4000 rpm
	019 usgal/min	018 usgal/min	019 usgal/min
	9/16" unf-lh inner thread	9/16" unf-lh inner thread	9/16" unf-lh inner thread
	2,3 kg	2,3 kg	2,3 kg
	200 x 76 mm	200 x 76 mm	200 x 76 mm
	z0000582	z0000573	z0000564

spare parts



spare parts



falch gmbh
headquarter
street of water jetting 1
89143 blaubeuren-seissen (germany)

+49 7344 9244-0
+49 7344 9244-4090

info@falch.com
www.falch.com